

Contents

I	Introduction	15
1	Global approach to fracture	16
1.1	Small scale yielding — Large scale yielding	16
1.2	Linear elastic fracture mechanics (LEFM)	17
1.3	Non linear fracture mechanics (NLFM)	20
1.3.1	The J -Integral	20
1.3.2	J as stress-intensity factor: the HRR field	20
1.4	T -stress and Q -factor	21
2	Local approach to fracture	22
2.1	Main principles of the local approach to fracture	22
2.2	Examples of fracture behavior that the local approach can explain	25
2.2.1	Size and geometry effects	25
2.2.2	Warm pre-stress effect	27
3	Organization of the book	28
4	Bibliography	30
II	Physical mechanisms of damage	33
1	Introduction	33
2	Ductile fracture: metals and polymers	33
2.1	Background	33
2.2	Cavity nucleation	34
2.3	Cavity growth	37
2.4	Cavity coalescence and criteria for ductile fracture	38
3	Brittle fracture	40
3.1	Cleavage. Metals and ceramics	40
3.1.1	Introduction	40
3.1.2	Is cleavage fracture nucleation or growth controlled ?	43
3.1.3	Scatter and size effects	43
3.1.4	Microstructural effects	45
3.2	Intergranular fracture — Metals and ceramics	45
4	Crazing in polymers	47
4.1	Craze initiation	48
4.2	Craze widening	48
4.3	Craze breakdown	49
5	Quasi-brittle fracture — Ceramic composite materials and concrete . .	50
5.1	Ceramic composite materials	50
5.1.1	Introduction	50
5.1.2	Fracture of brittle matrix composites	51

	5.2	Concrete	54
6		Ductile to brittle transition	56
	6.1	Introduction	56
	6.2	Ductile to brittle transition in metals	57
	6.2.1	Transition in smooth specimens	57
	6.2.2	Effect of notches on the ductile-brittle transition	58
	6.2.3	Ductile to brittle transition in precracked specimens	61
	6.3	Ductile to brittle transition in polymers	62
7		Creep fracture	64
	7.1	Introduction to creep deformation	64
	7.2	Background	66
	7.3	Cavity nucleation	68
	7.4	Diffusion controlled cavity growth	68
	7.4.1	Grain boundary control	69
	7.4.2	Surface diffusion control	70
	7.4.3	Constrained diffusional cavity growth	71
8		Bibliography	73
III		Quantitative measurement of damage	79
1		Introduction	79
2		Indirect measurement	80
	2.1	Density	80
	2.1.1	Principle of the measurement	80
	2.1.2	Experimental difficulties	81
	2.1.3	Examples in the literature	81
	2.1.4	Discussion	82
	2.2	Young's Modulus	83
	2.2.1	Principle	83
	2.2.2	Experimental difficulties	84
	2.2.3	Examples in the literature	84
	2.2.4	Discussion	86
	2.3	Acoustic methods	86
	2.3.1	Propagation of ultrasonic waves	86
	2.3.2	Acoustic emission (AE)	88
	2.4	Miscellaneous	88
3		Direct measurement	89
	3.1	Different imaging methods	89
	3.1.1	Surface microscopy (light and scanning electron)	89
	3.1.2	Near surface microscopy (acoustic)	90
	3.1.3	X-ray imaging	93
	3.2	In situ / ex situ character of the experiments	96
4		Image processing and analysis	97
	4.1	Image processing	97
	4.2	Image analysis	98
	4.3	Stereology	99
	4.4	Measurement of the damage parameter from images	100
	4.5	Measurement of intervoid distance and void size and shape from images	102
5		Summary and conclusions	104
6		Bibliography	105

IV	Testing	109
1	Introduction	109
2	Homogeneously deformed type tests	110
2.1	Tensile test	110
2.1.1	Geometries and notations	111
2.1.2	Mechanical test	111
2.1.3	Simplified representations	114
2.2	Compression tests	115
2.3	Notched tensile specimens	115
2.3.1	Geometries and notations	116
2.3.2	Mechanical test	118
2.3.3	Elastic analysis	119
2.3.4	Bridgman analysis	120
3	Structural specimens	121
3.1	Introduction	121
3.2	Notched specimens	121
3.2.1	Geometries	121
3.2.2	Mechanical test	123
3.3	Precracked specimens	126
3.3.1	Geometries	126
3.3.2	Precracking procedures	126
3.3.3	Mechanical test	128
3.3.4	Application to brittle fracture: plane-strain fracture toughness, K_{Ic} , determination	128
3.3.5	Application to ductile fracture, $J - R$ curves determination	130
3.3.6	Size dependence of macroscopic fracture toughness	134
3.3.7	Application to the lower ductile–brittle transition study	135
3.3.8	Fracture testing of weldments	137
4	Extensometry	139
4.1	Digital Speckle interferometry	140
4.2	Digital Image Correlation	141
5	Bibliography	143
V	Damage evolution laws and fracture criteria	147
1	Micro-mechanics based models for ductile fracture	147
1.1	Nucleation	147
1.1.1	Nucleation criteria	147
1.1.2	Discussion	150
1.1.3	Particle at a free surface	151
1.2	Void growth	153
1.2.1	Basic problems	153
1.2.2	Strain hardening effect	155
1.2.3	Void interaction	155
1.3	Coalescence and fracture	156
2	Phenomenological damage evolution law	157
3	Models for brittle fracture	158
3.1	Scale effects and weakest link assumption	158
3.2	Fracture criteria: Batdorf, RKR and Beremin models	161
3.2.1	Batdorf and other criteria for bulk ceramic fracture	161

	3.2.2	RKR criterion and Beremin model	162
	3.3	Non-local models	164
	3.4	Parameter estimation	165
4		Numerical implementation	167
	4.1	Time integration	167
	4.2	Space discretization	168
	4.2.1	Crack tip mechanical fields	168
	4.2.2	Influence of Element type and mechanical assumption	168
5		Bibliography	171
VI		Examples of application	175
1		Geometry and size effect	176
	1.1	Industrial background	176
	1.2	Experimental testing	176
	1.3	Results	177
	1.4	Local approach analysis	178
2		Rupture close to interfaces	179
	2.1	Introduction	179
	2.2	Stress and strain state close to an interface	179
	2.3	Brittle fracture	181
	2.4	Ductile fracture	182
3		Warm Pre-Stress Effect : application of a modified Beremin model . .	184
	3.1	Industrial background	184
	3.2	Description of the modified Beremin model	185
	3.3	Application of the model	186
4		Bibliography	192
VII		Phenomenological constitutive damage models	193
1		Thermodynamics framework	194
	1.1	Thermodynamics Variables	194
	1.2	State and Evolution Laws: generalized damage model	194
	1.3	Positivity of the Intrinsic Dissipation	196
	1.4	Application to Metals, Elastomers, Concrete	197
2		Elasto-plasticity coupled with damage	197
	2.1	Lemaitre damage model	197
	2.1.1	Thermodynamics Potentials	198
	2.1.2	Constitutive Equations coupled with Damage	198
	2.1.3	Uniaxial tension with repeated unloadings	199
	2.1.4	Identification of the Damage Law	202
	2.2	Induced damage anisotropy	202
	2.2.1	Elastic potential	203
	2.2.2	Evolution laws	204
3		Damage models for quasi-brittle materials	207
	3.1	Marigo model	207
	3.2	Mazars model	209
	3.3	Induced damage anisotropy	210
4		A damage model for elastomers	211
5		Application to fatigue	214
	5.1	Damage threshold in fatigue	214
	5.2	Calculation of Manson-Coffin curve for metals	214

Contents	5
<hr/>	
5.3	Calculation of the fatigue curve for elastomers 215
6	Application to creep 215
6.1	Secondary and Tertiary Creep of metals 216
6.2	A Word on the Model Identification 217
7	Bibliography 218
VIII	Micromechanics-based constitutive models of ductile fracture 221
1	Introduction 221
1.1	General introduction to the chapter 221
1.2	Motivations from FEM void cell simulations 224
1.2.1	Principles of void cell simulations 224
1.2.2	Results 226
2	A model for void growth: the Gurson model 227
3	Extensions of the original Gurson model 231
3.1	Thermo–elasticity 231
3.2	Improved modelling of the plastic flow behaviour of the matrix 232
3.2.1	Strain hardening 232
3.2.2	Viscoplasticity 233
3.2.3	Plastic anisotropy 234
3.2.4	Kinematic hardening 234
3.3	Adjustments on unit cell calculations (q_1, q_2, q_3) 235
3.4	Void shape 235
3.5	Other extensions 237
4	Other void growth models 238
4.1	Elliptic model 238
4.2	Rousselier model 239
5	Void nucleation 241
5.1	Strain controlled nucleation 241
5.2	Stress controlled nucleation 243
5.3	A model combining particle cracking and decohesion 243
6	Void coalescence 243
6.1	Simple approach of coalescence: a phenomenological acceleration of the porosity rate 244
6.2	A micromechanical approach of coalescence as a localized plastic flow 245
7	Linking microstructure, flow properties and fracture resistance 248
7.1	The ductile fracture model 249
7.2	Ductility 250
7.3	Fracture toughness 253
8	Application 258
9	Bibliography 260
IX	Cohesive zone models 265
1	Introduction: some limitations of classical fracture theories 265
1.1	Crack initiation 265
1.2	Time and space evolution of cracks 266
2	Cohesive zone models 266
2.1	Barrenblatt’s model 266
2.2	Dugdale’s model 267
2.3	Needleman’s model 267

3	Link between CZM and fracture mechanics	268
4	Solutions uniqueness of models involving CZM	269
5	Finite element discretization	270
5.1	Cohesive elements	270
5.2	Partition of unity methods	272
6	Some numerical problems related to CZM	273
6.1	Mesh size dependence	274
6.2	Choosing the appropriate CZM	275
6.2.1	Ductile failure: CZM and triaxiality	275
6.2.2	CZM and fatigue crack growth	276
7	Bibliography	277
X	Numerical implementation of constitutive models	279
1	Finite element method and material behavior	279
2	General methods for the implementation of constitutive equations	280
2.1	Rate formulation of the constitutive equations	280
2.2	Local explicit integration	281
2.3	Local implicit integration	282
3	Finite strain formulation	284
4	Application to micromechanical models	286
4.1	Explicit/Implicit generic implementation	286
4.2	Adiabatic heating	289
4.3	Plastic anisotropy	290
5	Application to phenomenological models: Anisotropic damage model	291
6	Numerical treatment of fracture	294
6.1	Convergence of the implicit integration method	294
6.2	Checking material failure	295
6.3	Choosing the element type	295
6.4	Removing “broken elements”	296
7	Mesh and mesh size dependence	297
7.1	Axisymmetric notched bars	298
7.2	CT specimens	299
7.3	Cracks under small scale yielding (SSY)	301
7.4	Role of element interpolation	302
7.5	Role of symmetry	303
7.6	Crack paths	304
7.7	Element shape and crack tip	305
7.8	3D calculations	306
7.9	Mesh size as a material parameter	306
8	Bibliography	308
XI	Localization and regularization	311
1	Strain localization criteria in elastoviscoplastic solids	311
1.1	The localization phenomenon: a first insight	312
1.1.1	One-dimensional example	312
1.1.2	Consequences on the modeling of real-life structures	314
1.2	Bifurcation modes in elastoplastic solids	316
1.2.1	Formulation of the boundary value problem	318
1.2.2	Loss of uniqueness; general bifurcation modes	319
1.2.3	Existence of velocity gradient discontinuities	321

1.2.4	Bifurcation analysis in elastoplasticity	323
1.2.5	Stability	327
1.2.6	Localization criteria	327
1.3	Application to tensile tests in isotropic incompressible and compressible associated elastoplastic materials	328
1.3.1	J_2 -theory: tensile test	328
1.3.2	Elliptic potential	330
1.4	Rate-dependent constitutive behavior	331
1.5	Strain localization indicators in numerical simulations at finite strains	334
1.6	The need for characteristic lengths	336
2	Regularization methods	338
2.1	A tool to explore nonlocality	339
2.1.1	Generalized standard materials	339
2.1.2	Introduction of a dissipation potential	340
2.1.3	Extension to the scale of the structure	341
2.1.4	Time integration: a minimum principle	342
2.2	Spatial regularization of the mechanical variables	343
2.2.1	Regularization operators	343
2.2.2	An attempt toward a classification	344
2.2.3	Numerical application	345
2.3	Enhancement of the kinematics: the micromorphic continuum	347
2.3.1	Balance and constitutive equations	347
2.3.2	Application to strain localization phenomena	351
2.3.3	Finite element simulations with the micromorphic continuum	354
2.4	Gradient of internal variables approach	355
2.4.1	Introduction of the gradient of internal variables	355
2.4.2	Relation with gradient models of the literature	358
3	Case studies	359
3.1	Numerical application of gradient models to ductile plasticity	359
3.2	Deformation and fracture of aluminum foams	361
4	Bibliography	367
XII	Model identification	373
1	Introduction	373
2	Data input for identification: global and local	373
2.1	Global data input	373
2.2	Local data input	374
3	Automatic identification	375
3.1	Building a cost function	375
3.2	Search methods	376
4	Guidelines for identification	377
4.1	General guidelines	377
4.2	Guidelines for the Gurson/Rousselier models	378
4.3	Guidelines for the phenomenological models	380
4.3.1	Guidelines for the Lemaitre's type damage models	380
4.3.2	Guidelines for the quasi-brittle damage models	382
5	Examples	382

5.1	Identification of the nucleation kinetics using microstructural observations	382
5.1.1	Hydrided Zircaloy-4 alloy	382
5.1.2	Embrittled duplex stainless steel	385
5.1.3	16MND5 (A508) steel	386
5.2	Different models — Same fit	386
5.3	Aluminum plates: a model adjustment for cracking only . . .	388
6	Bibliography	392
XIII	Applications of damage models	395
1	Introduction	395
2	Spinning Cylinder Test	396
2.1	Description of the NESC-1 PTS experiment	396
2.2	Analysis of the experiment with respect to Local Approach . .	397
2.2.1	Parameters fitting	397
2.2.2	Results	398
2.2.3	Conclusions of the study	399
3	Evaluation of the Charpy Transition Curve	400
3.1	Introduction	400
3.2	Experiments	401
3.3	Predictions in the brittle domain	401
3.3.1	Constitutive equations	402
3.3.2	Numerical Modeling	402
3.4	Predictions in the ductile to brittle transition domain	405
3.4.1	Constitutive equations	406
3.4.2	Numerical Modeling	407
3.5	Conclusions	410
4	Ductile rupture of heterogeneous materials	411
4.1	Presentation	411
4.2	Modeling material heterogeneities	412
4.3	Material and nature of the heterogeneities	412
4.4	Results	413
4.4.1	Scatter and reduction of ductility	413
4.4.2	Notched tensile bars: comparison with experiments	414
4.4.3	CT-specimens: comparison with experiments . . .	415
5	Ductile tearing of aluminum sheets	416
5.1	Introduction	416
5.2	Test samples	417
5.3	Fracture surfaces	418
5.4	Finite element simulation	419
5.5	Modeling large crack advance	420
6	Bibliography	422